Setting up the RTS Tool to communicate over WiFi with the QCX Controller.

Setting up the Wireless Router/Access Point

- 1. All Routers/Access Points are not the same, but the setup required to communicate with the RTS Tool is similar. See the Router's User Manual for instructions.
- 2. Plug your PC into one of the router ports. Log into the router from a web browser using the specified router default IP Address (PC Ethernet settings should be on the same network).
- 3. Below shows the necessary settings for the Router (and examples).
 - a. Set Router IP Type, Static or Dynamic (Dynamic/DHCP).
 - b. Select Router Frequency, Dual, 2.4 GHz or 5.0 GHz (2.4 GHz)
 - c. Wireless Setup
 - i. Create SSID Name (RTS_WLAN)
 - ii. Create Password for this Network (RTSWIFI123)
 - d. Wireless Security
 - i. For example WPA/WPA2 Personal (WPA2-PSK)
- 4. With these minimal settings, the router is setup to communicate with the RTS WiFi tool.

Note: Router, tool and controller should all have the same IP Type (DHCP or Static).

Note: For Advanced Network setup and troubleshooting tips see link: https://irtoolhelp.ingersollrand.com/hc/en-us/sections/31587920413843

Programming the WiFi settings on the RTS Tool

The WiFi settings of the tool can be set using the INSIGHT Connect App (Desktop or Mobile App).

- 1. To setup the RTS Tool to communicate over the WiFi Network follow the steps below using the INSIGHT Connect Desktop App (same settings are available on the Mobile App).
 - a. Open the INSIGHT Connect Desktop App.
 - i. The App can be found here: https://irtoolhelp.ingersollrand.com/hc/enus/articles/25600256116243--INSIGHT-Control-Latest-Global-Releases
 - b. Connect the RTS Tool to the laptop using a USB cable.
 - c. Click on the Connect to the Tool button at the bottom of the screen.

Ingersoll Rand	Dashboard			
 n Dashboard a Tool Logs 	🔅 App Settings	CI Error Codes	E About App	Saved Pset
App SettingsAbout App	۵			
	Tool Backup			
Tool not connected				Connect to the Tool

d. You will see the tool model in the bottom left and a Disconnect Tool button in the bottom right.

Ingersoll Rand		Dashb	oard						
A	Dashboard								
*	Pset								
	Clone		Pset	Tool Info		Result Screen		App Settings	
1	Tool Logs								
.	Utilities								
4	Tool Setup	E.	Ci or Codes	About App		≁ Torque			
\$	App Settings	EIIC	J Codes	About App	,	Estimator			
	About App								
	RTS140PS8							Disconnect Too	

e. Select Tool Setup.

Ingersoll Rand	Tool Setup		
Dashboard	General Setup		
Pset	Interface Setup		
🚽 Clone			
E Tool Logs			
🔒 Utilities	Wifi Setup		
👍 Tool Setup			
🄹 App Settings			
About App			
RTS140PS8			

f. Select WiFi Setup.

\leftarrow		- 🗆 X
	Wifi Setup	
(IR) Ingersoll Rand	MAC Address 00:00:00:02:31:49:00:88	
🔒 Dashboard		
Fset		
J Clone		
🗎 Tool Logs		
📤 Utilities	SSID wifi_ssid	
👍 Tool Setup	Security Type	
App Settings		
About App		
	0123456789	
RTS140PS8		Edit

g. Select Edit.

~		- 🗆 ×
	Wifi Setup	
(IR) Ingersoll Rand	MAC Address	
Dashboard	Server Type	
Pset		~
J Clone	Region	
🖹 Tool Logs		Ý
🔒 Utilities	SSID	
ool Setup	wifi_ssid	
App Settings	Security Type WPA2 - PSK	,
About App	Band Type	
		~
	Router Password	
		ľ
	Make Tool As	
RTS140PS8		Save

h. Enter the router WiFi settings (SSID, Password, Security Type, and IP Mode).

Ingersoll Rand	Wifi Setup	
mgerson kand		
n Dashboard		
Pset	Server Type QCX Controller	
	Region	
Tool Logs		
🔥 Utilities	SSID	*
🔥 Tool Setup	RTS_WLAN	/
App Settings	Security Type WPA2 - PSK	
About App	Band Type	
	Router Password	م
		/
RTS140PS8	Make Tool As	Save
H13140F38		
÷	Wifi Setup	- 🗆 X
	Wifi Setup	- • ×
← Ingersoll Rand	WPA2 - PSK	
Ingersoll Rand	WPA2 - PSK Band Type	
Ingersoll Rand	WPA2 - PSK Band Type 2.4 GHz	
Dashboard Pset	WPA2 - PSK Band Type 2.4 GHz Router Password RTSWIF1123 Make Tool As	
 Dashboard Pset Clone 	WPA2 - PSK Band Type 2.4 GHz Router Password RTSWIF1123 Make Tool As Client	
 Dashboard Pset Clone Tool Logs 	WPA2 - PSK Band Type 2.4 GHz Router Password RTSWIF1123 Make Tool As	
 Dashboard Pset Clone Tool Logs Utilities 	WPA2 - PSK Band Type 2.4 GHz Router Password RTSWIF1123 Make Tool As Client Server IP Address	· · ·
 Dashboard Pset Clone Tool Logs Utilities Tool Setup 	WPA2 - PSK Band Type 2.4 GHz Router Password RTSWIF123 Make Tool As Client Server IP Address 176.168.5.6	· · ·
 Dashboard Pset Clone Tool Logs Utilities Tool Setup App Settings 	WPA2 - PSK Band Type 2.4 GHz Router Password RTSWIF123 Make Tool As Client Server IP Address 176.168.5.6 Server Port Number 42265 Tool Port Number	· · ·
 Dashboard Pset Clone Tool Logs Utilities Tool Setup App Settings 	WPA2 - PSK Band Type 2.4 GHz Router Password RTSWIF123 Make Tool As Client Server IP Address 176.168.5.6 Server Port Number 42265 Tool Port Number 35091	•
 Dashboard Pset Clone Tool Logs Utilities Tool Setup App Settings 	WPA2 - PSK Band Type 2.4 GHz Router Password RTSWIF123 Make Tool As Client Server IP Address 176.168.5.6 Server Port Number 42265 Tool Port Number	•
 Dashboard Pset Clone Tool Logs Utilities Tool Setup App Settings 	WPA2-PSK Band Type 2.4 GHz Router Password RTSWIFI123 Make Tool As Client Server IP Address 176.168.5.6 Server Port Number 42265 Tool Port Number 35091 IP Mode	· · ·

i. Click the Save button. You will be prompted for a Passcode. By default the Passcode is 0000.

~		- = ×
Ingersoll Rand		
📅 Dashboard		
≣≟ Pset	Router Decement	
🤄 Clone	Passcode	
🖹 Tool Logs	Make Allowed Characters : (0-9) (A-F) (a-f)	
🍰 Utilities		
🔏 Tool Setup	Serve	
App Settings	OK Cancel Serve	
About App	42265	
RTS140PS8		Save

j. Enter the Passcode and select OK.

Ingersoll Rand	Tool Setup		
	General Setup		
Dashboard			
Pset		>	
🤄 Clone	Interface Setup		
🖹 🛛 Tool Logs			
📥 Utilities	Wifi Setup		
👍 Tool Setup			
App Settings			
About App			
RTS140PS8			

k. Select Dashboard.

Ingersoll Rand	Dashboard			- • ×
🟫 Dashboard				
Pset				٠
ᆗ Clone	Pset	Tool Info	Result Screen	App Settings
🖹 Tool Logs				
🔶 Utilities				
ool Setup	C! Error Codes	I	4 T	
🌼 App Settings	Error Codes	About App	Torque Estimator	
About App				
RTS140PS8				Disconnect Tool

I. The tool is now setup to communicate on the WiFi Network. Select Disconnect Tool.

Pairing the RTS Tool to the INSIGHTqcx controller

- 1. Log into the controller.
- 2. Go to Settings->Ethernet Settings.
- 3. Based on router settings, either enter a Static IP Address for Port 1 (ETH-0), or set the Network Type to DHCP.

	Home									
	Job		Ethernet Settings		8					
$\mathbf{\hat{\omega}}$	Pset		Port 1 Settings							
	Wireless Tools		i ert i eettiige	Port 1 Settings						
Θ	Accessories		Link Status							
$\mathbf{\circ}$	Result	•	MAC Address	00:d0:69:50:c4:86						
•	Settings	Þ	MAC Address	00.00.07.00.04.00						
U	Tool General Setting		Speed	100 Mbps						
\mathbf{O}	Logs	Þ								
	Diagnostics	•	Network Type	DHCP						
?		•	IP Address	192.168.1.100	 Image: A set of the set of the					
	User Management									
	About		Subnet Mask	255.255.255.0	<u> </u>					
			Gateway	192.168.1.1						
			Primary DNS	192.168.1.1						
			Secondary DNS	Secondary DNS	1					

- 4. Turn off controller.
- 5. Ensure that the controller Ethernet Port 1 (ETH-0) is plugged into the router.
- 6. Power on the controller.
- 7. Connect your PC to the router (either using WiFi or an Ethernet cable).
- 8. Open a web browser and enter the IP Address of the controller.

$\leftarrow \rightarrow$	C G	▲ Not secure 192.168.0.144/login			\$ Ð	
0						
θ			INSIGHTqcx			
•			오 Username			
\mathbf{O}			Password	Ð		
?			Service Login	Login		
			© English			

9. Log into the controller.

$\leftarrow \rightarrow$	C 🛱 🛆 Not secure	192.168.0.144/home									Θu	☆	Ď (м
		T None		86		0	(None				0		(
G		Unassigned						Unassigned						
Θ		T None		8 6		0	(T None	•			0		(
Ŧ		Unassigned						Unassigned						
\mathbf{O}		None		86		0	(None				0		(
?		Unassigned						Unassigned						
	0 192.168.0.14	14	2	176.1	58.58.2	3								

10. Go to Wireless Tools.

$\leftarrow \rightarrow$	C n A Not secure 1	92.168.0.144/p	airing	© ☆ ©	M
	Home		Wireless Tools		
	Job				
\mathbf{G}	Pset		Radio Settings		(\mathbf{P})
	Wireless Tools				0
0	Accessories		LAN Settings		()
	Result	Þ	Offline Configuration		
	Settings	Þ			
	Tool General Setting		Available Tools (6)	Pair	
0	Logs	Þ			
	Diagnostics	•			
?	System Maintenance	►			
	User Management				
	About				

11. Go to LAN Settings and select the Port and Assign the Port Number.

$\leftarrow \rightarrow$	C 🛱 🛆 Not secure 1	92.168.0.144/p	airing		🗠 ☆ 🖸 😡
	Home		← LAN Settings		
	Job		EAN Settings		
$\mathbf{\hat{\omega}}$	Pset		Port Selection	ETH-0	
	Wireless Tools				
Θ	Accessories		IP Address		192.168.0.144
$\mathbf{\nabla}$	Result	Þ	Port Number	6565	
4	Settings	•			
9	Tool General Setting				
\mathbf{O}	Logs	Þ			
	Diagnostics	►			
?	System Maintenance	▶			
	User Management				
	About				

- 12. If changes were made, select the Update LAN Settings button.
- 13. Plug the tool into the controller with a USB cable. If prompted to update the firmware follow the on-screen instructions.
- 14. Once the tool is updated you can Pair the tool to the controller.
- 15. After the update remove the USB cable and battery.
- 16. Plug the battery into the tool. Press the button next to the Wireless icon to enter the Communication Selection screen. If prompted for a Password, the default is 0000.



17. Press the button next to the return icon to navigate to the WiFi icon.



18. Press the button next to the Check Mark to put the tool into Pairing Mode.



19. From the controller select Wireless Tools.



20. Select the Pair button.

	Home				
			Wireless Tool	Pairing	
6			Radio Setting	Pairing is in progress, please do not navigate or refresh.	()
8			LAN Settings	<u>ر 0/6</u> ه oo:00	\ni
0			Offline Config	Close)	•
	Settings			Close	
9	Tool General Setting		Available Too		Pair Di
0	Logs	•			

21. The controller will pair with the tool.

	Home					
				Pairing		
\mathbf{G}				Pairing is in progress, please do	o not navigate or refresh	
8			LAN Settings		1/6	
			Offline Config			
		•	onnine connig	1 Tool(s) paired	aired Ō 00:54	
Ð			Available Too		0 00:52	Pair 🔰 🖿
			Available Ioo			
\mathbf{O}					Close	
?						
U	User Management					

22. Select Close. You will see that the tool is communicating over the WiFi Network.

	Home			
⊜	Job		Wireless Tools	
£	Pset		Radio Settings	
	Wireless Tools Accessories		LAN Settings	
Θ	Result	►	Offline Configuration	
Ð	Settings Tool General Setting	•	1. NX24A190034 RTS	
\odot	Logs Diagnostics	•	Available Tools (5)	Pair 🕨
?	System Maintenance	•		
	User Management			
	About			

1. Go to the Pset screen to program the desired Pset Parameters.

	Home				
	Job	RTS	 Select Tool 	Search	٩ (+)
\bigcirc	Pset	Pset Name		Tool Model	Action
	Wireless Tools				
	Accessories			No Pset(s)	

2. Select the + in the top right corner.

	Home		
	Job		•
$\mathbf{\hat{\omega}}$	Pset	Pset Name Pset Name	
	Wireless Tools	Pset Name is required	
0	Result	Applicable Tool Models RTS025	_
		>	
4		Counter Clockwise	
	Tool General Setting	Disable Reverse	
	Logs		
	Diagnostics Diagnostics	► Full Power Mode	
?	System Maintenance	Torque Level	
	User Management	Torque Level	
	About	Flush Level L1	
		Flush Detection Delay None	
		Rehit Prevention (sec) None	•
		Cross Thread Reduction	
		Rehit Detection	
	INSIGHTqcx	© 2024 INGERSOLL RAND / All Rights Reserved	

3. At a minimum, Pset Name, Tool Model, Torque Level and Flush Level should be programmed.

₿	Home		💮 Create Pset		8
\mathbf{G}	Pset		Pset Name	Test	
	Wireless Tools Accessories		Applicable Tool Models	RTS140	
8		Þ	Counter Clockwise		
Ŧ	Settings Tool General Setting	►	Disable Reverse		
\mathbf{O}		► ►	Full Power Mode		
?	System Maintenance	Þ	Torque Level	5	
	User Management About		Flush Level	L3	
			Flush Detection Delay	None	
			Rehit Prevention (sec)	None	
			Cross Thread Reduction		
			Rehit Detection		
	INSIGHTqex		© 2024 INGERSOLL RAND / All Rights Reserved		

- 4. Select the Save Icon in the top right corner to save the changes.
- 5. To assign the Pset to a Job, go to the Job screen. Select the + in the top right corner.

	Home		r				
	Job		RTS	 Select Tool 		Search	<u>م</u> (+)
$\mathbf{\hat{\mathbf{u}}}$	Pset		Job Name		Interlock	s	Action
W	Wireless Tools						
•	Accessories				No Job(s)		
0	Result	•					
•	Settings D	•					

6. Assign a Job Name and on Select Pset(s) select the +.

	5					
₿	Home Job	🕞 Edit Job			_	8
•	Pset	Job Name [*]		Job Test		~
θ	Wireless Tools Accessories	Interlocks				\ominus
	Result	Select Pset(s)				\oplus
	Home	⊕ Select Pset	RTS025		Search	0
G	Job Pset Wireless Tools	Pset Name				
8	Accessories		0 Pset(s			
	Result Settings					

7. Select the desired tool model and assign the Pset.

	Home					
	Job		← Select Pset	(RTS140	- Search	0
$\mathbf{\Omega}$	Pset		😑 🛛 Pset Name	\sim		
•	Wireless Tools		$\langle - \rangle$			
	Accessories		Test			
Θ	Result	•				
æ	Settings	•				
	Tool Conoral Sotting					

8. Select the back arrow.

	Home		\sim				
	Job	(🕞 Se	ect Pset	RTS140	Search	0
	Pset		Ŧ	Pset Name			
U	Wireless Tools						
	Accessories			Test			
0	Result	Þ					
	Settings	•					

9. Select the Save icon to save the Job settings.

	Home						8		
	Job		🕞 Edit Job						
\mathbf{G}	Pset Wireless Tools		Job Name [*]	J	Job Test				
							0		
Θ	Accessories		Interlocks				\ominus		
0	Result	Þ	Select Pset(s)				\oplus		
	Settings	•					\smile		
4	Tool General Setting		1 Test	Tool Model: RTS140	Torque Level: 5	Flush Level: L3	$\textcircled{\blacksquare} \ni$		
0	Logs	•	Job Complete						
	Diagnostics	•							

10. You will see this screen.

	Home					
	Job		RTS	✓ Select Tool	Search	٩ (+)
\bigcirc	Pset		Job Name		Interlocks	Action
U	Wireless Tools					
8	Accessories		Job Test			$\textcircled{} \bigcirc$
0	Result	•				
•	Settings	•				
	Tool Conorol Cotting					

11. Select the tool.

	Home		RTS		▼ NX24A190034	0/8 ▼ Search	٩	
	Job		RIS		• NAZ4A190034	0/8 • Search	~	(+)
	Pset		Ī	ID	Job Name	Interlocks	Action	
U	Wireless Tools							
Θ	Accessories				Job Test			\bigcirc
	Result							
(Settings							

12. Assign the Job.

	Home					
	Job	RTS		▼ NX24A190034	1/8 ▼ Search	<u>م</u> (+)
$\mathbf{\hat{\omega}}$	Pset	Ţ	ID	Job Name	Interlocks	Action
U	Wireless Tools					
	Accessories			Job Test		
0	Result >					

13. Go to the Home screen and the Job will be available in the Drop Box. This is the case as long as the Job Selection Mode is Internal Controller on the Tool Settings screen.


	Home	▼ NX24A190034 ▼ ●	Select Job		90	RTS 👶 🖪 🛞 🔕
	Job		Select Job			
	Pset	Next: NA	Job Test			
U	Wireless Tools					
	Accessories			_		
9	Result ►					
æ	Settings					
	Tool General Setting					
	Logs 🕨					
	Diagnostics					

14. The tool will run the selected Job.


	Home	T NX24A190034	Job Test		•	90	rts 😣 🖻 🝥 🚺
	Job						
0	Pset	Next: Test					
	Wireless Tools	Test					1 /1
8	Accessories						
O	Result ►			Torque Level		Flush Level	
₽	Settings ►			T5		12	
	Tool General Setting			15		LJ	
	Logs 🕨						
	Diagnostics						

- 15. Below are some useful definitions.
 - a. **Reverse Disable** The tool only operates in the tightening direction.


<u>Why it is useful</u>: In some production environments, operators are instructed to only install fasteners, and never to remove or rework fasteners themselves. When Reverse Disable is on, the tool only operates in the tightening direction, thereby eliminating the opportunity for it to be used for fastener removal or rework.



- b. **Full Power Mode -** When enabled, the tool will run in full power. Upon disabling the feature, user can setup the Pset configuration.
- c. Flush Level Setting (L1 L7) This setting is the level of sensitivity used for determining when the flush point has been reached. Since all joints are different, there are 7 options available to choose from, so that the tool's determination of flush point may be best aligned with the actual joint behavior.
 - i. L1 L2 have the lowest sensitivity and are the least discriminating to reach. They are best for hard joints and joints that reach the snug point immediately following the completion of rundown.
 - ii. L3 L5 have medium sensitivity. They are best for softer joints and joints that involve drawing parts together.
 - iii. L6 L7 have the highest sensitivity and are the most discriminating to reach. They are best for joints that must overcome high prevailing torque prior to arriving at the snug point.



d. Torque Level Setting (T1 – T40) – This setting is the duration after flush point detection during which the tool delivers pulses of torque to the fastener before automatically shutting off. There are 40 options to choose from, so that the tool's delivered torque may be best aligned with the torque that the application requires.



e. **Flush Detection Delay** – The tool delays flush detection for the specified period of time at the beginning of a cycle.


<u>Why it is useful</u>: If there are loads on the fastener prior to it becoming seated, those loads may cause the flush detection algorithm to enable prematurely. When it is known that flush detection is not to occur until after a specific period of time, setting the Flush Detection Delay to that time will disable flush detection until the time has elapsed.

f. **Re-Hit Prevention** – The trigger is disabled for a specified period of time following the completion of each tightening.

Why it is useful: When tightening a series of fasteners in rapid succession, an operator can fail to advance to the next fastener and attempt to tighten the same fastener twice. When it is known that advancing to the next fastener should take at least a specific period of time, setting Re-hit Prevention to that time can help to prevent a re-hit condition.

g. Cross-Thread Reduction – The tool turns two revolutions in the loosening direction prior to executing a tightening, for better thread alignment.


Why it is useful: With some applications, running a fastener in the loosening direction prior to a tightening can help reduce the risk of cross-threading, by burnishing the first threads in the joint and giving the operator the ability to take control of the thread alignment.



Cross-Thread Reduction

h. Re-hit Detection – The tool immediately shuts off and shows a cycle-fail indication if it senses that there is high load on the fastener at startup, which could indicate that the fastener was previously tightened or has been cross-threaded.


Why it is useful: During a common fastening, there is a period of rundown during which the fastener normally encounters very little resistance. If high resistance is encountered when it is not expected, it could mean that the fastener was previously tightened or that it has been crossthreaded. With Re-hit Detection enabled, the tool shuts down when high resistance is sensed and gives indication to the operator that the fastener needs attention.



Re-Hit Detection

i. One Speed - The tool operates at full speed only.

<u>Why it is useful</u>: Repeatability is maximized when fasteners are tightened exactly the same way every time. One Speed provides assurance that the tool only operates at full speed, so that there is no opportunity for variation to be introduced by teasing the trigger.



j. **Soft-Start** – Tool speed ramps up more gradually at the beginning of a cycle. <u>Why it is useful</u>: The gradual speed increase of soft start can provide the operator with more control for getting fasteners started.

